

Gravis Concrete Admixtures



L&T-SUFIN

A brand of Larsen & Toubro Limited

L&T-SuFin, Larsen & Toubro Limited

The Metropolitan, 4th Floor, E Block,
Bandra - Kurla Complex, Bandra East,
Mumbai - 400051, Maharashtra, INDIA
Tel: +91 82912 11421

Email: b2bservice@larsentoubro.com
www.lntsufin.com

Registered Office:
Larsen & Toubro Limited, L&T House
N. M. Marg, Ballard Estate
Mumbai 400 001, INDIA
www.Larsentoubro.com

CIN: L99999MH1946PLC004768

We thank you for giving us an opportunity to Introduce our Products. We are delighted to share with you details about L&T SuFin branded Admixtures.

About L&T SuFin

L&T-SuFin is an integrated platform for buying and selling industrial products and services. Backed by L&T – India’s leading manufacturing, building & construction company – L&T-SuFin is poised to transform the B2B marketplace. Enabling businesses, especially MSMEs, to source their industrial suppliers pan-India, digitally and cost-effectively.

Being ‘integrated’ means that with L&T-SuFin you get everything, from a vast selection of products across 50+ categories to Financing and Logistics support from carefully vetted Partners. It brings choice and convenience to your doorstep in one completely reliable package.

About L&T SuFin Branded Concrete Admixtures: Gravis Admixtures

L&T SuFin - A Brand of Larsen and Toubro Limited has introduced Concrete Admixture under the Brand name, **Gravis**.

Gravis Polycarboxylate-based admixtures are formulated by optimizing the perfect balance of the water reducer Polycarboxylates and the slump retainer Polycarboxylates, to achieve concrete properties like slump & slump retention, compressive strength, etc. as per requirement.

Our Concrete Admixtures offers a high performance and provides uniform consistency, better strength, superior workability, increased durability and better finishing, at competitive rates.

We offer the following product ranges:

1. Gravis Admix Plus - Customized Admixture for concrete grade up to M30.
2. Gravis Admix Premium - Customized Admixture for concrete grades up to M50.
3. Gravis Admix Ultra - Customized Admixture for high rise structures.
4. Gravis Megamix P1103 – Standard Site Mix.

The formulation has received the following accreditations:

1. CIDCO
2. NHAI

The products from our manufacturing facility have catered for many projects:

1. Worli-Seawood Bridge
2. Statue of Oneness, Indore
3. Lodha the Park, Mumbai
4. Hockey World Cup Stadium, Rourkela
5. Nagpur Metro

Gravis Concrete Admixtures TDS

Gravis Admix Plus

Standard Compliance:

Gravis Admix Plus compliance with IS 9103:1999 and BS 5075 part 3 and conform to ASTM -C-494 type G and type A.

Product Information:

Results obtained in + 20 Deg C. 50% relative humidity conditions.

Structure of the Material	Poly Carboxylic Ether (Modified Based)
Color	Light Brown
Density	1.05-1.1 kg/l
Chlorine Content % (EN 480 - 10)	<0.01
Alkaline Content% (EN 480 - 12)	<2

Dosage:

Gravis Admix Plus is suggested to be used as 800 to 1500 ml for 100 kg binder (cement - micro silica - fly ash) The dosage to be used must be determined beforehand by Laboratory experiments.

Application Procedure:

Binder (cement - micro silica - fly ash) and aggregate must be mixed until a cohesive mixture is obtained After adding 80% - 90% of the water to be added to mixture. **Admixture** must be added to the mixture along with the remaining water. Make sure concrete has achieved a control slump of 10-20 mm before adding admixture.

Admixture must be mixed sufficient to get a cohesive mixture. Or for the duration determined in Laboratory experiments in the mixture for a homogenous diffusion.

Packaging:

Gravis Admix Plus is available in 230 kg drums.

Storage:

Gravis Admix Plus has a shelf life of 12 months.

Compatibility:

Gravis Admix Plus can be used with the following materials:

- Can be used with micro silica, fly ash and slag where high binding material like self-Compacted concrete is used.
- **Gravis Admix Plus** is not compatible with any other SNF based super plasticizers.
- Can be used with all cement types.
- **Gravis Admix Plus** may be combined with other products of same or different family, however trials are recommended before combining products in specific mixes and combinations. Compatible with all types of cement and cementitious materials except high Alumina cement.

Application:

- For production of pumpable and non-pumpable high-quality ready-mix concrete.
- In the production of self-compacted, non-segregating, flowable concrete.
- Improve the strength of the final hardened concrete.
- RMC upto M30 concrete grade

Advantages:

- Enable the supply of high-quality concrete to construction sites whenever needed.
- Enables flowable, low water/cement ratio concrete consistent with Indian Aggregate.
- Enables to produce many grades of a single product for many applications.

Gravis Admix Plus

Precautions Health and safety instructions

Gravis Admix does not fall into the hazard classifications of current regulations. However, it should not be swallowed or allowed to come into contact with skin and eyes. Suitable protective gloves and goggles should be worn. Splashes on the skin should be removed with water. In case of contact with eyes rinse immediately with plenty of water and seek medical advice. If swallowed seek medical attention immediately - do not induce vomiting. For further information consult the Material Safety Data sheet available for this product

Gravis Concrete Admixtures



L&T-SUFIN

A brand of Larsen & Toubro Limited

L&T-SuFin, Larsen & Toubro Limited

The Metropolitan, 4th Floor, E Block,
Bandra - Kurla Complex, Bandra East,
Mumbai - 400051, Maharashtra, INDIA
Tel: +91 82912 11421

Email: b2bservice@larsentoubro.com
www.lntsufin.com

Registered Office:
Larsen & Toubro Limited, L&T House
N. M. Marg, Ballard Estate
Mumbai 400 001, INDIA
www.Larsentoubro.com

CIN: L99999MH1946PLC004768

We thank you for giving us an opportunity to Introduce our Products. We are delighted to share with you details about L&T SuFin branded Admixtures.

About L&T SuFin

L&T-SuFin is an integrated platform for buying and selling industrial products and services. Backed by L&T – India’s leading manufacturing, building & construction company – L&T-SuFin is poised to transform the B2B marketplace. Enabling businesses, especially MSMEs, to source their industrial suppliers pan-India, digitally and cost-effectively.

Being ‘integrated’ means that with L&T-SuFin you get everything, from a vast selection of products across 50+ categories to Financing and Logistics support from carefully vetted Partners. It brings choice and convenience to your doorstep in one completely reliable package.

About L&T SuFin Branded Concrete Admixtures: Gravis Admixtures

L&T SuFin - A Brand of Larsen and Toubro Limited has introduced Concrete Admixture under the Brand name, **Gravis**.

Gravis Polycarboxylate-based admixtures are formulated by optimizing the perfect balance of the water reducer Polycarboxylates and the slump retainer Polycarboxylates, to achieve concrete properties like slump & slump retention, compressive strength, etc. as per requirement.

Our Concrete Admixtures offers a high performance and provides uniform consistency, better strength, superior workability, increased durability and better finishing, at competitive rates.

We offer the following product ranges:

1. Gravis Admix Plus - Customized Admixture for concrete grade up to M30.
2. Gravis Admix Premium - Customized Admixture for concrete grades up to M50.
3. Gravis Admix Ultra - Customized Admixture for high rise structures.
4. Gravis Megamix P1103 – Standard Site Mix.

The formulation has received the following accreditations:

1. CIDCO
2. NHAI

The products from our manufacturing facility have catered for many projects:

1. Worli-Seawood Bridge
2. Statue of Oneness, Indore
3. Lodha the Park, Mumbai
4. Hockey World Cup Stadium, Rourkela
5. Nagpur Metro

Gravis Concrete Admixtures TDS

Gravis Admix Premium

Standard Compliance:

Gravis Admix Premium compliance with IS 9103:1999 and BS 5075 part 3 and conform to ASTM -C-494 type G and type A.

Product Information:

Specific Gravity	1.12+- .02 g/cc
Appearance	Light yellow coloured liquid
Density @200C	1.05 kg/litre
Chlorine Content	Nil to IS: 456
pH	6.5
Alkaline Content	Typically, less than 1.5g Na ₂ O equivalent / liter of Admixture.
Structure of Material	Poly carboxylic Ether

Dosage:

The optimum dosage of Gravis Admix Premium to meet specific requirements should always be determined by trials using the materials and conditions that will be experienced in use. The normal dosage range is between 500 to 1500 ml/100 kg of cementitious material.

Application Procedure:

Binder (cement - micro silica - fly ash) and aggregate must be mixed until a cohesive mixture is obtained After adding 80% - 90% of the water to be added to mixture. Admixture must be added to the mixture along with the remaining water. Make sure concrete has achieved a control slump of 10-20mm before adding admixture. Admixture must be mixed sufficient enough to get a cohesive mixture. Or

for the duration determined in laboratory experiments in the mixture for a homogenous diffusion. Packaging:

Gravis Admix Premium is available in 230 kg drums.

Storage:

Gravis Admix Premium has a shelf life of 12 months.

Gravis Admix Premium can be used with the following materials:

Compatibility:

- Can be used with micro silica, fly ash and slag where high binding material like self-compacted concrete is needed to be used.
- **Gravis Admix Premium** is not compatible with any other SNF based super plasticizers.
- Can be used with all cement types.
- **Gravis Admix Premium** may be combined with other products of the same or different family, however, trials are recommended before combining products in specific mixes and combinations. Compatible with all types of cement and cementitious materials except high Alumina cement

Application:

- Self-compacting concrete
- Pumped concrete
- Concrete requiring long workability retention
- High performance concrete

Gravis Admix Premium

Advantages:

- Increased early and ultimate compressive strengths.
- Increased flexural strength.
- Higher E modulus
- Improved adhesion to reinforcing and prestressing steel
- Better resistance to carbonation
- Lower permeability
- Better resistance to aggressive atmospheric conditions
- Reduced shrinkage and creep
- Increased durability
- RMC upto M55 concrete grade.

Precautions Health and safety instructions

Gravis Admix does not fall into the hazard classifications of current regulations. However, it should not be swallowed or allowed to come into contact with skin and eyes. Suitable protective gloves and goggles should be worn. Splashes on the skin should be removed with water. In case of contact with eyes rinse immediately with plenty of water and seek medical advice. If swallowed seek medical attention immediately - do not induce vomiting. For further information consult the Material Safety Data sheet available for this product

Gravis Concrete Admixtures



L&T-SUFIN

A brand of Larsen & Toubro Limited

L&T-SuFin, Larsen & Toubro Limited

The Metropolitan, 4th Floor, E Block,
Bandra - Kurla Complex, Bandra East,
Mumbai - 400051, Maharashtra, INDIA
Tel: +91 82912 11421

Email: b2bservice@larsentoubro.com
www.lntsufin.com

Registered Office:
Larsen & Toubro Limited, L&T House
N. M. Marg, Ballard Estate
Mumbai 400 001, INDIA
www.Larsentoubro.com

CIN: L99999MH1946PLC004768

We thank you for giving us an opportunity to Introduce our Products. We are delighted to share with you details about L&T SuFin branded Admixtures.

About L&T SuFin

L&T-SuFin is an integrated platform for buying and selling industrial products and services. Backed by L&T – India’s leading manufacturing, building & construction company – L&T-SuFin is poised to transform the B2B marketplace. Enabling businesses, especially MSMEs, to source their industrial suppliers pan-India, digitally and cost-effectively.

Being ‘integrated’ means that with L&T-SuFin you get everything, from a vast selection of products across 50+ categories to Financing and Logistics support from carefully vetted Partners. It brings choice and convenience to your doorstep in one completely reliable package.

About L&T SuFin Branded Concrete Admixtures: Gravis Admixtures

L&T SuFin - A Brand of Larsen and Toubro Limited has introduced Concrete Admixture under the Brand name, **Gravis**.

Gravis Polycarboxylate-based admixtures are formulated by optimizing the perfect balance of the water reducer Polycarboxylates and the slump retainer Polycarboxylates, to achieve concrete properties like slump & slump retention, compressive strength, etc. as per requirement.

Our Concrete Admixtures offers a high performance and provides uniform consistency, better strength, superior workability, increased durability and better finishing, at competitive rates.

We offer the following product ranges:

1. Gravis Admix Plus - Customized Admixture for concrete grade up to M30.
2. Gravis Admix Premium - Customized Admixture for concrete grades up to M50.
3. Gravis Admix Ultra - Customized Admixture for high rise structures.
4. Gravis Megamix P1103 – Standard Site Mix.

The formulation has received the following accreditations:

1. CIDCO
2. NHAI

The products from our manufacturing facility have catered for many projects:

1. Worli-Seawood Bridge
2. Statue of Oneness, Indore
3. Lodha the Park, Mumbai
4. Hockey World Cup Stadium, Rourkela
5. Nagpur Metro

Gravis Concrete Admixtures TDS

Gravis Admix Ultra

Standard Compliance:

Gravis Admix Ultra complies to IS 9103, BS 5075 and ASTM C494 Type F & G (depending on dosage used)

Product Information:

Chemical Base	Polycarboxylate Ether
Appearance	Light/Brown Liquid
Specific Gravity	1.12±0.1 (at 25°C)
Chloride content	Nil to BS 5075
pH	Min.6

Dosage:

03% - 2.0% by weight of cementitious content. Higher dosage may be used if agreed by Engineer. Actual dosage to be finalized based on site trials.

Application Procedure:

Binder (cement - micro silica - fly ash) and aggregate must be mixed until a cohesive mixture is obtained. After adding 80% - 90% of the water to be added to mixture. Admixture must be added to the mixture along with the remaining water. Make sure concrete has achieved a control slump of 10-20mm before adding admixture. Admixture must be mixed sufficient enough to get a cohesive mixture. Or for the duration determined in laboratory experiments in the mixture for a homogenous diffusion.

Packaging:

Gravis Admix Ultra is available in 225 & 250 kg HOPE drum/Bulk Supply

Storage: Gravis Admix Ultra has a shelf life of 12 months.

Compatibility:

Gravis Admix Ultra can be used with the following materials:

- Can be used with micro silica, fly ash and slag where high binding material like self-compacted concrete is needed to be used.
- **Gravis Admix Ultra** is not compatible with any other SNF based super plasticizers.
- Can be used with all cement types.
- **Gravis Admix Ultra** may be combined with other products of same or different family however trials are recommended before combining products in specific mixes and combinations. Compatible with all types of cement and cementitious materials except high Alumina cement

Advantages:

- Strong water reduction that facilitates low water cement ratio thereby increasing strength of concrete and reducing permeability resulting in higher durability.
- Low viscosity provides high dispersion making it suitable for pumping different concrete grades to greater heights.
- Reduced sensitivity helps to accommodate variations in aggregates and/or different cement types.
- Superior plasticizing effect resulting in improved flow, placing and compaction characteristics.
- Suitable for concrete with mineral admixtures having low water cement ratio.
- Reduced shrinkage and creep and better resistance to carbonation.
- RMC is greater than M50 concrete grade. The application is for Tall Towers.

Gravis Admix Ultra

Precautions Health and safety instructions

Gravis Admix does not fall into the hazard classifications of current regulations. However, it should not be swallowed or allowed to come into contact with skin and eyes. Suitable protective gloves and goggles should be worn. Splashes on the skin should be removed with water. In case of contact with eyes rinse immediately with plenty of water and seek medical advice. If swallowed seek medical attention immediately - do not induce vomiting. For further information consult the Material Safety Data sheet available for this product

Gravis Concrete Admixtures



L&T-SUFIN

A brand of Larsen & Toubro Limited

L&T-SuFin, Larsen & Toubro Limited

The Metropolitan, 4th Floor, E Block,
Bandra - Kurla Complex, Bandra East,
Mumbai - 400051, Maharashtra, INDIA
Tel: +91 82912 11421

Email: b2bservice@larsentoubro.com
www.lntsufin.com

Registered Office:
Larsen & Toubro Limited, L&T House
N. M. Marg, Ballard Estate
Mumbai 400 001, INDIA
www.Larsentoubro.com

CIN: L99999MH1946PLC004768

We thank you for giving us an opportunity to Introduce our Products. We are delighted to share with you details about L&T SuFin branded Admixtures.

About L&T SuFin

L&T-SuFin is an integrated platform for buying and selling industrial products and services. Backed by L&T – India’s leading manufacturing, building & construction company – L&T-SuFin is poised to transform the B2B marketplace. Enabling businesses, especially MSMEs, to source their industrial suppliers pan-India, digitally and cost-effectively.

Being ‘integrated’ means that with L&T-SuFin you get everything, from a vast selection of products across 50+ categories to Financing and Logistics support from carefully vetted Partners. It brings choice and convenience to your doorstep in one completely reliable package.

About L&T SuFin Branded Concrete Admixtures: Gravis Admixtures

L&T SuFin - A Brand of Larsen and Toubro Limited has introduced Concrete Admixture under the Brand name, **Gravis**.

Gravis Polycarboxylate-based admixtures are formulated by optimizing the perfect balance of the water reducer Polycarboxylates and the slump retainer Polycarboxylates, to achieve concrete properties like slump & slump retention, compressive strength, etc. as per requirement.

Our Concrete Admixtures offers a high performance and provides uniform consistency, better strength, superior workability, increased durability and better finishing, at competitive rates.

We offer the following product ranges:

1. Gravis Admix Plus - Customized Admixture for concrete grade up to M30.
2. Gravis Admix Premium - Customized Admixture for concrete grades up to M50.
3. Gravis Admix Ultra - Customized Admixture for high rise structures.
4. Gravis Megamix P1103 – Standard Site Mix.

The formulation has received the following accreditations:

1. CIDCO
2. NHAI

The products from our manufacturing facility have catered for many projects:

1. Worli-Seawood Bridge
2. Statue of Oneness, Indore
3. Lodha the Park, Mumbai
4. Hockey World Cup Stadium, Rourkela
5. Nagpur Metro

Gravis Concrete Admixtures MSDS

L&T-SUFIN

A brand of Larsen & Toubro Limited

L&T-SuFin, Larsen & Toubro Limited
The Metropolitan, 4th Floor, E Block,
Bandra - Kurla Complex, Bandra East,
Mumbai - 400051, Maharashtra, INDIA
Tel: +91 82912 11421
Email: b2bservice@larsentoubro.com
www.lntsufin.com

Registered Office:
Larsen & Toubro Limited, L&T House
N. M. Marg, Ballard Estate
Mumbai 400 001, INDIA
www.Larsentoubro.com

CIN: L99999MH1946PLC004768

Safety & Precaution

❖ Product & Company identification

Product: Concrete Admixtures:

Manufacturing Location:

Plot No. 1873, Dongripada, Poonam
Shankeshwar Compound, Kaman
Bhiwandi, Vasai (E).

❖ Composition/Information on Ingredients

Chemical Characterization: -

Aqueous Solution containing POLYCARBOXIL
EAATHER POLYOXYALKYLENE ALKYL ETHER

Hazardous ingredients N/A

❖ Potential Hazards

Hazard information N/A

❖ First-Aid Measures

- **Inhalation:** If difficulties occur after vapour/aerosol has been inhaled, remove fresh air & seek medical attention.
- **Skin Contact:** After contact with skin, wash immediately with plenty of water & soap. Under no circumstances should an organic solvent be used. If irritation develops. Seek medical attention.
- **Eye Contact:** Flush with copious amounts of water for at least 15 minutes. If symptoms persist, seek medical advice.
- **Ingestion:** Rinse your mouth & then drink plenty of water. Seek medical attention.

❖ Fire-Fighting Measures

Flash Point: Not Applicable

Auto ignition: Not Applicable

- **Suitable Extinguishing Media:** Foam water spray, dry extinguishing media, Carbon dioxide, harmful vapour, nitrogen oxides, fume/smoke, and carbon black.
- **Protective Equipment fir Firefighting:** Firefighters should be equipped with self-contained breathing apparatus &
- **Further Information:** Sealed containers should be protected against heat as these results in pressure build-up. Keep containers cool by spraying with water if exposed to fire.

❖ Accidental Release Measure:

- **Personal Precautions:** Use personal protective clothing. Do not breathe vapour/aerosol/spray mists.
 - Sources of ignition should be kept well clear. Handle in accordance with good building materials hygiene & safety practice.
- **Environmental Precautions:** Contain contaminated water/fire-fighting water. Do not discharge into drains/surface water/grounder.
- **Cleanup:**
- **For small amounts:** Pick up with inert absorbent material (e.g. Sand, Earth etc.) Dispose of contaminated material as prescribed.
- **For large amounts:** Pump off product.

❖ **Handling & Storage:**

• **Handling:**

- **General Advice:** Avoid aerosol formation. Avoid inhalation of mists/vapour. Avoid skin contact. No special measures necessary provided product is used correctly.
- **Protection Against Fire & Explosion:** No special precautions necessary.
- **Storage:** Keep only in the original container in a cool, dry, well-ventilated place away from ignition source heat or flame. Store protected against freezing. Protect from direct sunlight.

❖ **Exposure Controls & Personal Protection:**

• **Personal Protective Equipment:**

- **Respiratory Protection:** Wear respiratory protection if ventilation is inadequate. Wear a NIOSH- certified (or equivalent) respiratory as necessary.
- **General Safety & Hygiene Measure:** In order to prevent contamination while handling, closed working clothes & working gloves should be used. Handle in accordance with good building materials hygiene & safety practice. When using does not eat, drink, smoke. Hands and/or face should be washed before breaks & at end of the shift.

• **Stability & Reactivity:**

- **Condition to Avoid:** See MSDS section 7-Handling & Storage.
- **Hazardous reactions:** The product is stable if stored & handled as prescribed/indicated.
- **Thermal Decomposition:** No decomposition if stored & handled as prescribed/indicated.

❖ **Toxicological Information:**

The Toxicological properties of the preparation have not been fully investigated.

The Toxicological information for the components is: Non-Toxic

Oral:

Skin Irritation: NO DATA

Eye Irritation:

Sensitization:

❖ **Ecological Information:**

- Environment Toxicity – None, Bio-degradable material.
- Other Eco toxicological Advice: According to experience, material has no harmful effect on the environment. Do not discharge substance/product the sewer system.

❖ **Disposal:**

- **Disposal:** Absorb suitable material e.g. Sand, Earth & Bury in landfill. Flush contaminated areas with plenty of water.

In addition, please refer to the local regulation regarding disposal.

❖ **Transport Information:**

Land Transport TDG: Not classified as a dangerous good transport regulation

Sea Transport MDG: Not classified as a dangerous good transport regulation

Air Transport IATA/ICAO: Not classified as a dangerous good transport regulation

❖ **Regulations**

Labeling Symbol	Labeling according to EEC directives concerning preparations. N/A
R Phrase(S) R	R36/37/38 Irritating eyes, respiratory system & skin.
Phrase(S)	S36/37/39 Wear suitable protective clothing gloves & eyes/Face protection

❖ **Other Information:**

The above data is based on our present knowledge. However, they shall not constitute a guarantee for any specific product features & shall not establish a legally valid contractual relationship.

END OF DATA SHEET.

Admixtures Approvals

L&T-SUFIN

A brand of Larsen & Toubro Limited

L&T-SuFin, Larsen & Toubro Limited

The Metropolitan, 4th Floor, E Block,
Bandra - Kurla Complex, Bandra East,
Mumbai - 400051, Maharashtra, INDIA

Tel: +91 82912 11421

Email: b2bservice@larsentoubro.com
www.lntsufin.com

Registered Office:
Larsen & Toubro Limited, L&T House
N. M. Marg, Ballard Estate
Mumbai 400 001, INDIA
www.Larsentoubro.com

CIN: L99999MH1946PLC004768

ISO Certification

UQSR. Certificate

UQSR Global Private Limited has assessed the Quality Management System of
SIGMA POLYCHEM PVT. LTD.

B/1204, ATLANTIC SAGAR CHS. LTD. SAGARCITY, VP ROAD, ANDHERI (WEST),
MUMBAI- 400058, MAHARASHTRA, INDIA

PLOT NO. 1873, DONGRIPADA, PONAM SHANKESHWAR COMPOUND, KAMAN,
BHIWANDI ROAD, VASAI-EAST, PALGHAR- 401208, MAHARASHTRA, INDIA

And hereby declares that the organization is in conformance with:

ISO 9001:2015

For the following scope of activities:

MANUFACTURING AND TRADING OF CONSTRUCTIONS CHEMICALS

Further clarification regarding the scope of this certificate and the applicability of Quality Management System standard requirements may be obtained by contacting the organization

Certificate Number : UQSR-3672-SPPL

Original Issue Date : 03/08/2023	Current Issue Date : 03/08/2023	IAF Code: 12
Surveillance Date : 02/08/2024	Recertification Date : 02/08/2026	Issue No. 01

*Validity of certificate is subjected to the continued satisfactory performance during surveillance audit



Authorized By

Certification Manager

UQSR Global Private Limited
www.uqsr.org

To know current status of this certificate please visit our website,
www.uqsr.org

Any unauthorised alteration, forgery or fabrication of the content or appearance of this document is unlawful and offenders will be prosecuted to the fullest extent of law.



L&T-SUFIN

A brand of Larsen & Toubro Limited

L&T-SuFin, Larsen & Toubro Limited
The Metropolitan, 4th Floor, E Block,
Bandra - Kurla Complex, Bandra East,
Mumbai - 400051, Maharashtra, INDIA

www.lntsufin.com

Registered Office:
Larsen & Toubro Limited, L&T House
N. M. Marg, Ballard Estate
Mumbai 400 001, INDIA
www.Larsentoubro.com

CIN: L99999MH1946PLC004768

MMRCL APPROVAL



महाराष्ट्र मेट्रो रेल कॉर्पोरेशन लिमिटेड MAHARASHTRA METRO RAIL CORPORATION LIMITED

(भारत सरकार आणि महाराष्ट्र शासनाचा संयुक्त उपक्रम)

A Joint Venture of Govt. of India & Govt. Of Maharashtra

NAGPUR METRO RAIL PROJECT

No: Maha Metro/AGM/Cont./10.17/Vendor Registration /2018 /14.12.9
Dt: 29.08.2018

CIN: U60100MH20155GC262054

To,
M/s Sigma Polychem Pvt Ltd.
1204/B, Atlantic Sagar City, Off. S.V. Road,
Andheri (West), Mumbai-400102
E-mail: sigmacheme@gmail.com

Sub: Application for Vendor Registration of your products with Maha Metro for Nagpur & Pune Metro Rail Project. Regarding
Ref: Your Application dated 15.02.2018 & addl. Document after Clarification submitted 21.06.2018.

Dear Sir,

This has reference to your letters referred above concerning the subject and your application along with the credential documents as submitted to this office and sought for vendor approval of your products with our Corporation as Registered Vendors/Manufacturer.

Our Corporation has gone through all your credentials documents and would like to communicate that Maharashtra Metro Rail Corporation Limited" (Formerly as Nagpur Metro Rail Corporation Limited) has been "approved your products of "PCE & Naphthalene base Concrete Admixtures" for trial purpose. Final approval, shall be given after submission of satisfactory performance report of the trial reports by using your products in our ongoing Maha Metro Rail Projects at Nagpur/Pune

Please the note that the product approval is subject to the following terms and condition.

1. Maha Metro will not give any assurance/Guarantee for supply of your products/services to our projects.
2. This Product Approval does not bind Maha Metro in any way for use of your product or services in our Metro Rail Projects.
3. The approval shall stand cancelled automatically in case of any negative feedback about the performance/compliance on your products to the specification & Quality requirement.
4. During the supply of your products, satisfactory performance tests needs to be conducted at site/ approved Laboratory initially and also from time to time as per standard practices/ codes and also as directed by the Engineer-In-Charge.
5. Maha Metro reserves right to remove or suspend the product approval on the basis of periodic/ special review at any time.
6. Continued compliance to Indian/ international standards to be maintained.
7. Approval is further Subjects to use of approved source of raw material and process method for the approved products.
8. This approval accorded is provisionally for one year.

Thanking you

Cc: Director (P)

CC: M/s. Sigma Polychem Pvt Ltd., Shivam, 1st Floor, 83
Ambazari Layout, Near Crazy Castle, Amusement Park,
Nagpur-440010 (Maharashtra)



Yours faithfully

(Signature)
30/8/2018
(T Kumaresan)

Addl. General Manager (Contracts)

टी. कुमारेसन / T. KUMARESAN
अतिरिक्त महाप्रबन्धन (संयुक्त) / Addl. General Manager (Contract)
महाराष्ट्र मेट्रो रेल कॉर्पोरेशन लिमिटेड /
Maharashtra Metro Rail Corporation Ltd.
भारत सरकार आणि महाराष्ट्र शासनाचा संयुक्त उपक्रम
Joint Venture of Govt. Of India & Govt. Of Maharashtra

Registered Office

"Metro House ", 28/2, C.K. Naidu Marg, Anand Nagar, Civil Lines, Nagpur-440 001
Telefax : 0712-2554217 Website : www.metrotrainnagpur.com

L&T-SUFIN

A brand of Larsen & Toubro Limited

L&T-SuFin, Larsen & Toubro Limited
The Metropolitan, 4th Floor, E Block,
Bandra - Kurla Complex, Bandra East,
Mumbai - 400051, Maharashtra, INDIA

www.lntsufin.com

Registered Office:
Larsen & Toubro Limited, L&T House
N. M. Marg, Ballard Estate
Mumbai 400 001, INDIA
www.Larsentoubro.com

CIN: L99999MH1946PLC004768

CIDCO APPROVAL



CITY AND INDUSTRIAL DEVELOPMENT CORPORATION OF MAHARASHTRA LIMITED

(CIN - U99999 MH 1970 SGC - 014574)

REGD. OFFICE:

"NIRMAL", 2nd Floor, Nariman Point,
Mumbai - 400 021.
PHONE : 00-91-22-6650 0900
FAX : 00-91-22-2202 2509

HEAD OFFICE:

CIDCO Bhavan, CBD Belapur,
Navi Mumbai - 400 614.
PHONE: 00-91-22-6791 8100
FAX : 00-91-22-6791 8166

Ref. No. CIDCO/ EE (PA & R)/ P-1731/2020/645

Date : 29.12.2020

To:

M/s Sigma Polychem Pvt Ltd,

1204/B, Atlantic Sagar City,

Off. S.V. Road, Andheri (West),

Mumbai-400 085.

Contact Person: Mr Shafiqur Shaikh

Email : sigmacheme@gmail.com

Mob.No : 9320017620

Sub: Registration as an Approved Vendor.

Ref: Your application vide file no P-1731-2020.

Dear Sir,

With reference to your request /application on subject matter, we are pleased to inform you that, your registration as an approved vendor for our projects / works for the following products is approved herewith for a period of **Two (02) years**.

Sr. No	Material Description	Material Name / Brand / Size/ Range
1	Construction Chemicals	Sigmabond L906, Sigmabond LTPM-60, Sigmabond 703, Sigmacure, Plast-IW, Ultra Hyproof, Rust Ceaser, Sigmacrete MGP 50, Sigmacrete SGP 70, Sigmabond J36 HMM, Polymix-AR, Cem-Aid Plast.

Kindly note that,

- a) The validity of this enlistment is valid for **Two (02) Years** i.e. up to **28.12.2022**. However, the Corporation reserves the right to cancel the same in case complaints are received from users within that period.

1

In case of any corruption related complaints, please visit :
www.cidco.maharashtra.gov.in Click on Dakshata link

L&T-SUFIN

A brand of Larsen & Toubro Limited

L&T-SuFin, Larsen & Toubro Limited

The Metropolitan, 4th Floor, E Block,
Bandra - Kurla Complex, Bandra East,
Mumbai - 400051, Maharashtra, INDIA

www.lntsufin.com

Registered Office:

Larsen & Toubro Limited, L&T House
N. M. Marg, Ballard Estate
Mumbai 400 001, INDIA
www.Larsentoubro.com

CIN: L99999MH1946PLC004768

NHAI APPROVAL



Ref No.: AE/2017-18/MBP/173

Date: 22/11/2018.

To,
The Project Incharge,
M/s. M. B. Patil Constructions Ltd.,
Project Office, Deshmukh Plot,
Sahani House, Akola.

Subject :- Rehabilitation and upgradation to 2 lane with paved shoulder/4 lane standards of National Highway Section of NH-161A from Akola to Akot (Length – 39.286 Km.) on EPC Mode in the state of Maharashtra. – **Approval for construction chemicals.**

Reference :- 1) Your letter no. MBPCL/NH-161A/Akola- Akot/112/2017-18, dtd. 03/10/18
2) Our letter no. AE/2018-19/MBP/146, dtd. 05/10/2018
3) Your letter no. MBPCL/NH-161A/Akola-Akot/116/2017-18, dtd. 17/10/18
4) Our letter no. AE/2018-19/MBP/154, dtd. 19/10/2018
5) Your letter no. MBPCL/NH-161A/Akola-Akot/120/2017-18, dtd. 28/10/18
6) Our letter no. AE/2018-19/MBP/161, dtd. 29/10/2018
7) Your letter no. MBPCL/NH-161A/Akola-Akot/122/2017-18, dtd. 21/11/18

Dear Sir,

With reference to the above cited subject and in the credentials vide your referred letters, 'AE' has reviewed the submitted credentials of the following products/companies.

1. **Company name:** M/s Sigma Polychem Pvt Ltd.
Product name: Admixture (Sigmabond 3000 PQC).
2. **Company name:** M/s Concrete Additives & Chemicals Pvt.Ltd.(CAC)
Product name: Admixture (CAC-HYPERFLUID PLUS(H2))

Following are our observations and comments.

1. With respect to data provided in the credentials and AE representative visited to the source vide our letter no. AE/2017-18/MBP/161, dtd. 29/10/2018 found that the products **Admixture (Sigmabond 3000 PQC)** and **(CAC-HYPERFLUID PLUS(H2))** manufactured by M/s **Sigma Polychem Pvt.Ltd,Mumbai** and M/s **Concrete Additives & Chemicals Pvt.Ltd, Mumbai** respectively and found to be meeting the requirements and in order and hence can be procured for use in the project.
2. Further, you are hereby advised to conduct Mix design trials with the said product in the presence of AE representative.
3. 3rd party test report to be submitted before submission of mix design.
4. Delivered materials should be jointly sampled and tested before using at site.



Page 1 of 2

K & J Projects Pvt. Ltd.

Plot No. 96, Gram Panchayat - Vani, Vijay Nagar, Akola - Akot Road, Akot, Dist - Akola, Maharashtra, India
E-mail : tl_akt@knjprojects.com, www.knjprojects.com
CIN No. : U45203MH2004PTC150165

L&T-SUFIN

A brand of Larsen & Toubro Limited

L&T-SuFin, Larsen & Toubro Limited
The Metropolitan, 4th Floor, E Block,
Bandra - Kurla Complex, Bandra East,
Mumbai - 400051, Maharashtra, INDIA

www.lntsufin.com

Registered Office:
Larsen & Toubro Limited, L&T House
N. M. Marg, Ballard Estate
Mumbai 400 001, INDIA
www.Larsentoubro.com

CIN: L99999MH1946PLC004768

Projects catered by Manufacturing Facility

L&T-SUFIN

A brand of Larsen & Toubro Limited

L&T-SuFin, Larsen & Toubro Limited

The Metropolitan, 4th Floor, E Block,
Bandra - Kurla Complex, Bandra East,
Mumbai - 400051, Maharashtra, INDIA
Tel: +91 82912 11421

Email: b2bservice@larsentoubro.com
www.lntsufin.com

Registered Office:
Larsen & Toubro Limited, L&T House
N. M. Marg, Ballard Estate
Mumbai 400 001, INDIA
www.Larsentoubro.com

CIN: L99999MH1946PLC004768



IRRIGATION PROJECT, L&T (UP)



WORLI- SEAWOOD BRIDGE



LODHA THE PARK, Mumbai.



HOCKEY WORLD CUP STADIUM,
ROURKELA



STATUE OF ONENESS, Indore



NAVI MUMBAI INTERNATIONAL AIRPORT

L&T-SUFIN

A brand of Larsen & Toubro Limited

L&T-SuFin, Larsen & Toubro Limited
The Metropolitan, 4th Floor, E Block,
Bandra - Kurla Complex, Bandra East,
Mumbai - 400051, Maharashtra, INDIA

www.lntsufin.com

Registered Office:
Larsen & Toubro Limited, L&T House
N. M. Marg, Ballard Estate
Mumbai 400 001, INDIA
www.Larsentoubro.com

CIN: L99999MH1946PLC004768



PRECAST CONCRETE, J KUMAR



NAGPUR METRO



COASTAL ROAD PROJECT, Mumbai



Mumbai Trans Harbour Sea-Link



LODHA PALAVA CITY, Dombivali

L&T-SUFIN

A brand of Larsen & Toubro Limited

L&T-SuFin, Larsen & Toubro Limited
 The Metropolitan, 4th Floor, E Block,
 Bandra - Kurla Complex, Bandra East,
 Mumbai - 400051, Maharashtra, INDIA

www.lntsufin.com

Registered Office:
 Larsen & Toubro Limited, L&T House
 N. M. Marg, Ballard Estate
 Mumbai 400 001, INDIA
www.Larsentoubro.com

CIN: L99999MH1946PLC004768

Admixtures

Purchase Orders

INTERNATIONAL HOCKEY STADIUM, ROURKELA (L&T)

PURCHASE ORDER



Larsen & Toubro Limited,

Construction

PB No 979, Mount-Poonamallee Road,
Manapakkam, Chennai - 600089,
Tamilnadu, India
CIN - L99999MH1946PLC004768

Tel No. : 044-22526000
Fax No. : 044-22526059
Website : <https://eip4.Intecc.com>
Email :

ORDER NO. : LE/LE21M538/POD/22/000001

PO DATE : 03-Jan-2022

LATEST AMENDMENT NO : -

AMENDMENT DATE : -



VALUE : 15,81,200.00 - INR

STATUS : AUTHORIZED

Order Essentials

Job : LE21M538 - International Hockey Stadium at Rourkela

Payment Centre : SZ000010 - Shared Services Centre - Accounting Center

Type : Revenue and Domestic

Purchase Group : Project

Delivery Period : 31-Dec-2021 to 15-Jan-2022

RFQ No. : LE/LE21M537/RFQ/21/000477

BQ No. : 3

Vendor Details

Name : V0015855 - SIGMAPOLYCHEM PVT LTD

Address : 1204 B WING ATLANTIC SAGAR CITY,ANDHERI (WEST)V P ROAD,CITY:GREATOR MUMBAI(M CORP), Mumbai

State : Maharashtra - 0

Country : India

Mobile : 9320017620

Phone :

Email : sigmacheme@gmail.com

PO Accepted : No

Statutory Details - Job

GST : 21AAACL0140P4ZS

GST State : Odisha

Statutory Details - Vendor

GST : 27AANC6215P1ZN

GST State : Maharashtra

Vertical : Larsen & Toubro Limited, Construction

Vertical :

Billing To

LE21M538 - International Hockey Stadium at Rourkela
. BPUT, Chhend Colony, Rourkela
. Rourkela
Rourkela
Odisha
India - 769004 .

Shipping To

6869 - Hockey Stadium Rourkela
BPUT, Chhend Colony, Rourkela
. Rourkela
Rourkela
Odisha
India - 769004.

Refer Annexure Details

Delivery Schedule, Itemwise Tax Details

*Save Paper ! Save Trees !! - View Purchase Order digitally..!!!



A brand of Larsen & Toubro Limited

L&T-SuFin, Larsen & Toubro Limited

The Metropolitan, 4th Floor, E Block,
Bandra - Kurla Complex, Bandra East,
Mumbai - 400051, Maharashtra, INDIA

www.lntsufin.com

Registered Office:
Larsen & Toubro Limited, L&T House
N. M. Marg, Ballard Estate
Mumbai 400 001, INDIA
www.Larsentoubro.com

CIN: L99999MH1946PLC004768

AFCIONS APPROVAL FOR METRO



QF992502 PURCHASE ORDER

Page 1/2
Signed Copy

AFCONS INFRASTRUCTURE LTD
Post Box No. 11978, AFCONS House, 16, Shah
Industrial Estate, Veera Desai Road, Azadnagar
P.O., Mumbai 400053 Maharashtra India
Tel.No.91-22-6719 1000
Fax.No.91-22-2673 0047/ 2673 0026



Supplier : 114471 Sigma Polychem Pvt. Ltd 1204/B, Atlantic Sagar City Off. S.V. Road Andheri (West) Mumbai 400058 Maharashtra India		Purchase Order No : 4100016040 Project : 3452 Design.Con. of Elevat vladuct Gaddigotam to Sitabuli		Date : 29.03.2019						
Tel No : 9321921155 Fax No : Email No : signmacheeme@gmail.com		Payment Terms : 90 Days Credit Incoterms : FOR - NAGPUR METRO PROJECT SITE		Billed To : Afcons Infrastructure Ltd. PLOT NO 1 - 2, KHASRA NO. 75/1, SURVEY NO. 459, NEAR AUTOMOTIVE SQUARE, MOUZA Nagpur 440026,						
Contact : Gauri Manjunath / 9321921155		Shipped To : Afcons Infrastructure Ltd. PLOT NO 1 - 2, KHASRA NO. 75/1, SURVEY NO. 459, NEAR AUTOMOTIVE SQUARE, MOUZA Nagpur 440026,		Contact :						
Supplier GSTIN : 27AANC6215P1ZN		Billed to GSTIN : 27AAACA8097G1ZL								
Sr No.	Item Description	Quantity	UOM	Delivery Date	Base Rate(NR)	Discou nt	Net Rate	Tax%	HSN/SAC	Total Amount (NR)
1	47300016 - Sigambond MRTM Admixture	2,000.000	K							
Total Value in Words : INR ONE HUNDRED THIRTY-SIX THOUSAND EIGHT HUNDRED EIGHTY and Paise ZERO only										
Taxes applicable are as following :										
1. H3 - 18% Input Tax CGST + SGST										
Remarks										
Ref.-> Offer No. SPPL/NGP/2019-19/59 Dated 28.03.2019										
1) Above price inclusive of freight charges up to project site & GST @18% which will be extra as shown.										
2) Original invoices to be sent along with the material to site.										
3) MSDS and Material Test certificate to be submitted at site along with the material.										
4) Empty barrels to be lifted by you on your own cost.										
5) Please contact Mr. Kotati Prem Raju at site for dispatch schedule on 7447780224										
6) Quantity tolerance of +/- 2% is allowed										
7) This ordered material is going to use for our own consumption.										
8) Supplier shall send the original documents to project site and scan copy to HO.										
GSTIN: 27AAACA8067G1ZL										
BILL TO DETAILS:										
Checked By					For AFCONS INFRASTRUCTURE LTD					
Note : Acceptance of this order constitute an acceptance of the terms and conditions on face reverse thereof										
Indent Ref : 2300017379Dtd.28.02.2019										



QF992502 PURCHASE ORDER

Page 2/2
Signed Copy

AFCONS INFRASTRUCTURE LTD
Post Box No. 11978, AFCONS House, 16, Shah
Industrial Estate, Veera Desai Road, Azadnagar
P.O., Mumbai 400053 Maharashtra India
Tel.No.91-22-6719 1000
Fax.No.91-22-2673 0047/ 2673 0026

PO No. 4100016040
PO Date : 29.03.2019



<p>Remarks</p> <p>Afcons Infrastructure Ltd, Survey No. 469, Digdoh, Parithi Nagar, Opp. Nagpur Nagrik Sahakari Bank, Near St. Xavier's School, Tahsil # Hingna, Hingna Road, Nagpur # 440016</p> <p>SHIP TO # Afcons Infrastructure Limited Job No 3452 Survey No 97 Village Khain Ta. Kamptee Dist Nagpur Near Unnadi Motors.</p>
--



A brand of Larsen & Toubro Limited

L&T-SuFin, Larsen & Toubro Limited
The Metropolitan, 4th Floor, E Block,
Bandra - Kurla Complex, Bandra East,
Mumbai - 400051, Maharashtra, INDIA

www.lntsufin.com

Registered Office:
Larsen & Toubro Limited, L&T House
N. M. Marg, Ballard Estate
Mumbai 400 001, INDIA
www.Larsentoubro.com

CIN: L99999MH1946PLC004768

RAMCO CEMENT PLANT , KURNOOL

PURCHASE ORDER	
	ORDER NO. : LE/LE190391/POD/22/000427 PO DATE : 08-Jul-2022
PB No 979, Mount-Poonamallee Road, Manapakkam, Chennai - 600089, Tamil Nadu, India CIN - L99999MH1946PLC004768 Tel No. : 044-22526000 Fax No. : 044-22526059 Website : https://eip4.Intecc.com Email :	LATEST AMENDMENT NO [REDACTED] AMENDMENT DATE : - VALUE : 26,41,524.40 INR STATUS :

Order Essentials	Vendor Details
Job : LE190391 - Ramco Kurnool Payment Centre : SZ000010 - Shared Services Centre - Accounting CITY,ANDHERI(WEST)V Center Type : Revenue and Domestic Purchase Group : Project	Name : V0015855 - SIGMAPOLYCHEM PVT LTD Address : 1204 B WING ATLANTIC SAGAR P ROAD,CITY:GREATOR MUMBAI(M CORP), Mumbai
Delivery Period : 04-Jul-2022 to 31-Aug-2022 RFQ No. : LE/LE190391/RFQ/22/001302 BQ No. : 2	State : Maharashtra - 400058 Country : India Mobile : 9320017620 Phone : Email : sigmacheme@gmail.com PO Accepted : No

Statutory Details - Job	Statutory Details - Vendor
GST : 37AAACL0140P1ZI GST State : Andhra Pradesh Vertical : Larsen & Toubro Limited, Construction	GST : 27AANC56215P12N GST State : Maharashtra Vertical :

Billing To	Shipping To
LE190391 - Ramco Kurnool O LARSEN & TOUBRO LIMITED, LIMITED, KALVATALA VILLAGE, KOLIMIGUNDLA KOLIMIGUNDLA MANDAL, ANDHRA PRADESH - 518123 PRADESH - 518123 Kurnool Kurnool Andhra Pradesh India - 518123 .	6011 - LE190391 RAMCO KURNOOL LARSEN & TOUBRO KALVATALA VILLAGE, MANDAL, ANDHRA Kurnool Kurnool Andhra Pradesh India - 518123.

Refer Annexure Details
Delivery Schedule, Itemwise Tax Details, Special Terms & Condition Details



A brand of Larsen & Toubro Limited

L&T-SuFin, Larsen & Toubro Limited
 The Metropolitan, 4th Floor, E Block,
 Bandra - Kurla Complex, Bandra East,
 Mumbai - 400051, Maharashtra, INDIA

www.lntsufin.com

Registered Office:
 Larsen & Toubro Limited, L&T House
 N. M. Marg, Ballard Estate
 Mumbai 400 001, INDIA
 www.Larsentoubro.com

CIN: L99999MH1946PLC004768

SHIVA SHAKTI CEMENT PLANT, ODHISA (L&T)

PURCHASE ORDER	
 <p>Larsen & Toubro Limited, Construction</p> <p>PB No 979, Mount-Poonamallee Road, Manapakkam, Chennai - 600089, Tamilnadu, India CIN - L99999MH1946PLC004768 Tel No. : 044-22526000 Fax No. : 044-22526059 Website : https://eip4.lntec.com Email :</p>	<p>ORDER NO. : LE/LE200894/POD/21/000216</p> <p>PO DATE : 20-Oct-2021</p> <p>LATEST AMENDMENT NO : -</p> <p>AMENDMENT DATE : -</p> <p>VALUE : 14,86,800.00 INR</p> <p>STATUS : AUTHORIZED</p> 
Order Essentials	Vendor Details
<p>Job : LE200894 - Shiva Cement Plant - Sundargarh Odisha</p> <p>Payment Centre : 52000010 - Shared Services Centre - Accounting Center</p> <p>Type : Revenue and Domestic</p> <p>Purchase Group : Project</p> <p>Delivery Period : 20-Oct-2021 to 31-Dec-2021</p> <p>RFQ No. : LE/LE16D138/RFQ/21/000546</p> <p>BQ No. : 2</p>	<p>Name : V0015855 - SIGMAPOLYCHEM PVT LTD</p> <p>Address : 1204 B WING ATLANTIC SAGAR CITY,ANDHERI (WEST)V P ROAD,CITY:GREATOR MUMBAI(M CORP), Mumbai</p> <p>State : Maharashtra - 0</p> <p>Country : India</p> <p>Mobile : 9320017620</p> <p>Phone :</p> <p>Email : sigmache@gnail.com</p> <p>PO Accepted : No</p>
Statutory Details - Job	Statutory Details - Vendor
<p>GST : 21AAACL0140P4Z5</p> <p>GST State : Odisha</p> <p>Vertical : Larsen & Toubro Limited, Construction</p>	<p>GST : 27AANCS6215P1ZN</p> <p>GST State : Maharashtra</p> <p>Vertical :</p>
Billing To	Shipping To
<p>LE200894 - Shiva Cement Plant - Sundargarh Odisha 123 Village Teleghana PO Biringatoli, Kutra Dist - Sundargarh, Odisha -770018 Rajganjpur Sundergarh Odisha India - 770017.</p>	<p>6538 - SHIVA CEMENT PLANT, SUNDARGARH ODISHA LARSEN & TOUBRO LIMITED, KUTRA, SUNDARGARH,ODISHA-770018 VILL-TELEGHANA, BIRINGATOLI,ODISHA Rajganjpur Sundergarh Odisha India - 770017.</p>
Refer Annexure Details	
<p>Delivery Schedule, Itemwise Tax Details</p>	
<p>Report Generated at 20-Oct-2021 9:38:42 PM Page 1 of 4 EIP © 2021 L&T Construction. All rights reserved</p> <p style="color: green;">*Save Paper Save Trees !! - View Purchase Order digitally. !!!</p>	

L&T-SUFIN

A brand of Larsen & Toubro Limited

L&T-SuFin, Larsen & Toubro Limited

The Metropolitan, 4th Floor, E Block,
Bandra - Kurla Complex, Bandra East,
Mumbai - 400051, Maharashtra, INDIA

www.lntsufin.com

Registered Office:
Larsen & Toubro Limited, L&T House
N. M. Marg, Ballard Estate
Mumbai 400 001, INDIA
www.Larsentoubro.com

CIN: L99999MH1946PLC004768

Manufacturing Facility

L&T-SUFIN

A brand of Larsen & Toubro Limited

L&T-SuFin, Larsen & Toubro Limited

The Metropolitan, 4th Floor, E Block,
Bandra - Kurla Complex, Bandra East,
Mumbai - 400051, Maharashtra, INDIA

Tel: +91 82912 11421

Email: b2bservice@larsentoubro.com
www.lntsufin.com

Registered Office:
Larsen & Toubro Limited, L&T House
N. M. Marg, Ballard Estate
Mumbai 400 001, INDIA
www.Larsentoubro.com

CIN: L99999MH1946PLC004768

MANUFACTURING FACILITY:

Plot no. 1873, Dongripada, Poonam Shankeshwar Compound, Near Jain Mandir, Kaman-Bhiwandi Road, Vasai (E), Palghar-401208







Thank You!

L&T-SUFIN

A brand of Larsen & Toubro Limited

L&T-SuFin, Larsen & Toubro Limited

The Metropolitan, 4th Floor, E Block,
Bandra - Kurla Complex, Bandra East,
Mumbai - 400051, Maharashtra, INDIA

Tel: +91 82912 11421

Email: b2bservice@larsentoubro.com
www.lntsufin.com

Registered Office:

Larsen & Toubro Limited, L&T House
N. M. Marg, Ballard Estate
Mumbai 400 001, INDIA

www.Larsentoubro.com

CIN: L99999MH1946PLC004768